



NWR-801POE

Order No.: 0180002

Price upon request

PRODUCTINFOS

Efficient Control Centres for Network-based Video Surveillance

With the network video recorders of the PROJECT Line NWR series, it is now possible to easily and reliably record images from network cameras. A special PC software is not required. You only have to install the required hard disks. After installation, the recorders are ready for use and can record streams from different types of camera via ONVIF. It is also possible to select the perfect setting for each type of camera individually. The NWR recorders can conveniently be accessed from any PC workstation via a remote access software (in the scope of delivery) or from a monitor via an HDMI™/VGA output.

Four hard disks with a recording capacity of up to 6 TB (NWR-3216POE, NWR-1608POE) or a HDD with up to 8 TB (NWR-801POE) in total are available at option and allow for recording high-resolution network cameras over a long period of time. The integrated operating system impresses with an excellent operating reliability.

PROJECT Line 8-channel network video recorder

- Video compression for recordings: H.264, H.265
- Bandwidth: 128 Mbps
- Linux operating system for maximum operating reliability
- Automatic camera identification due to UPnP protocol
- P2P communication (peer-to-peer)
- Supports PTZ cameras
- Synchronised audio and video recordings
- 4 different user access levels can be set up
- Mobile Client for iPhone, iPad, Android
- Smart Home Ready

- E-MAP for indicating camera positions
- Dual streaming for bandwidth management
- Log system for logging status of the system, camera and access
- Digital PTZ and multi-window display
- Intelligent search function, search for distant or foreign objects, general movements, loss of focus, concealed cameras
- Data export possible as image file (BMP, JPG), video file (ASF, AVI) or backup file (DAT)
- Automatic backup via FTP
- 8 x alarm input, 1 x alarm output
- 1 x audio input, 1 x audio output
- 8 x PoE output for power supply of the cameras
- OSD: German, English, French, Italian, Russian, Spanish and other languages
- Instruction manual: English

Supplied w/o hard disk. Matching SATA hard disk is available at option.

Almost silent operation due to fanless cooling concept.

TECHNICAL SPECIFICATIONS

NWR-801POE

Video recorder	-
Video inputs	8 IP-based video channels, of which 8 x RJ45, LAN with PoE, 20 W
Video outputs	HDMI™, VGA
Audio inputs	1
Audio outputs	1
Resolution	3840 x 2160 pixels max.
Video compression	H.264, H.265
Recording	dep. on the resolution of the connected camera
Menu adjustments	on-screen menu (OSD)
Recording mode	alarm, motion-triggered, continuous recording, digital input, manual, timer
Alarm inputs	8
Alarm outputs	1
Interfaces	1 x RJ45 (10/100 Mbps) 1 x USB 3.0 2 x USB 2.0
Hard disks	optional, up to 1 x SATA II, 8 TB max.

NWR-801POE

Power supply via encl. power supply

Admiss. ambient temp. 0-40 °C

Dimensions 300 x 53 x 227 mm

Width 300 mm

Height 53 mm

Depth 227 mm

Weight 0.9 kg