



## PAB-212MK2

Order No.: 0253840

**Price upon request**

### PRODUCTINFOS

#### High-power Speaker Systems of the 200 Series

in classic wooden cabinets are of a high power capability, provide an amazing sound and are ideally suited for stage or DJ applications. The high-quality cabinets feature an appealing combination of MDF wood and plywood. Furthermore, they are extensively reinforced on the inside. With these features, the systems are suitable for multi-purpose applications.

#### High-power PA and DJ speaker system, 500 W, 8 $\Omega$

- Full range system of a very high efficiency
- Cabinet made of a combination of MDF wood and plywood
- 30 cm (12") bass speaker with diecast aluminium basket
- 25 mm (1", 44 mm voice coil) horn tweeter
- Bass-reflex system
- High-quality crossover network
- Multi-purpose positioning and installation options
- M8 threaded inserts for suspended installation
- 2 x NEUTRIK SPEAKON terminal, in/out
- Stand sleeve and carrying handles

## SOUNDCHECK 02/2018

“A well-equipped stereo amplifier of high power capability. For the test setup, we combined the STA-1500A with two PAB-212MK2 systems. The results were impressive. Even with high volume levels, it provided a crisp and powerful low end bass with particularly clear transients. It delivered an open, linear and well-balanced midrange. There were no audible distortions, even when we increased volume levels and the STA-1500A had to step in occasionally. After our test with the PAB-212/MK2, we were absolutely certain that this performance could by no means be equalled. However, we still decided to connect two PAB-512/BL systems [...] The STA-1500A combined with the PAB-512/BL provided such a clear and powerful sound which would normally only be experienced when using considerably larger speaker systems.”

## TASTENWELT 02/2018

“Innovative and intelligent. The combination of STA-900A and PAB-212MK2 is highly recommendable when someone is looking for an efficient full range PA system in this performance class at an attractive price.”

## TECHNICAL SPECIFICATIONS

### PAB-212MK2

Active/passive	passive
Transmission method	cable
Total power rating	500 W
Power rating (RMS)	250 W
Impedance	8 Ω
Frequency range	50-20,000 Hz
System	2-way bass-reflex
Bass speaker	30 cm (12", 63 mm voice coil)
	25 mm (1")
Tweeter	dyn. horn tweeter (44 mm voice coil)
Number of speakers	2
Speaker size	30 cm (12")
Sensitivity	98 dB/W/m
Max. rated SPL	122 dB
Housing material	MDF, plywood
Colour	black
Mounting device	M8 threaded inserts, stand sleeve
Admiss. ambient temp.	0-40 °C
Dimensions	380 x 630 x 350 mm
Width	380 mm

**PAB-212MK2**

Height	630 mm
Depth	350 mm
Weight	22.4 kg
Inputs	1 x NEUTRIK SPEAKON
Outputs	1 x NEUTRIK SPEAKON par. out
Replacement voice coil	PAB-115/VC